

Media report 25 Sept 2020

**This weeks media reports will cover and answer great questions veterans are still asking such as Frequently asked questions regarding COVID-19 in Ottawa. Due to ongoing and evolving COVID-19 pandemic, callers may experience increased wait times when calling the Government of Canada Pension Center. Callers may also experience dropped calls, as all telecommunication networks across Canada are presently facing capacity challenges. and local Media Articles and An illness or injury can have an impact on your ability to adjust to life after service. We all need healthcare services. The Treatment benefits program provides coverage for a variety of benefits and services to help you get—and stay healthy.**

## **Dental and Oral Impairment**

### **Contents**

#### **Introduction**

This chapter provides criteria for assessing permanent impairment from entitled gingiva conditions, loss of teeth, temporomandibular joint dysfunction and loss of function of the mandible and/or maxilla.

Veterans Affairs Canada does not consider loss of teeth to be an assessable disability as the wearing of dentures or a prosthesis will restore an individual's ability to masticate. A nil assessment will be awarded for all entitled loss of teeth conditions regardless of the cause. Bruxism is also assessed at nil.

In complex cases where both a temporomandibular joint condition and a condition of the mandible and/or maxilla are entitled, a rating will be determined on individual merits.

No additional rating is taken from [Chapter 14](#), Gastrointestinal Impairment, for entitled temporomandibular joint conditions or mandible and/or maxilla conditions.

No additional rating is taken from [Chapter 22](#), Skin Impairment for disfigurement due to an entitled condition of the mandible and/or maxilla.

Impairment from malignant dental and oral conditions is rated within [Chapter 18](#), Malignant Impairment. Follow the steps contained within the Malignant Impairment chapter.

#### **Rating Tables**

This chapter contains four "Loss of Function" tables and one "Other Impairment" table which may be used to rate entitled dental and oral conditions.

The tables within this chapter are:

#### Rating Tables

<b>Table</b>	<b>Loss of Function</b>	<b>Other Impairment</b>
<a href="#">Table 11.1</a>	Loss of Function – Gingiva and Loss of Teeth	This table is used to establish a rating of <b>nil</b> for impairment from <b>all</b> gingiva conditions, bruxism and loss of teeth.
<a href="#">Table 11.2</a>	Loss of Function – Temporomandibular Joint	This table is used to rate impairment from temporomandibular joint function.
<a href="#">Table 11.3</a>	Other Impairment – Temporomandibular Resting Joint Pain	This table is used to rate impairment from resting pain in the temporomandibular joint.
<a href="#">Table 11.4</a>	Loss of Function – Mandible and Maxilla	This table is used to rate impairment from mandible and/or maxilla function.
<a href="#">Table 11.5</a>	Loss of Function – Disfigurement of the Mandible and Maxilla	This table is used to rate impairment from disfigurement of the mandible and/or maxilla.

### **Loss of Function – Gingiva and Loss of Teeth**

[Table 11.1](#) is used to rate impairment of gingiva conditions, bruxism and loss of teeth. These conditions are assessed at nil.

When entitled gingiva conditions, bruxism and loss of teeth result in permanent impairment of other organ systems, a consequential entitlement decision is required. If awarded, the resulting impairment of that organ system(s) will be rated using the applicable body system specific table(s).

### **Loss of Function – Temporomandibular Joint**

[Table 11.2](#) is used to rate impairment of temporomandibular joint conditions. Only one rating may be selected. If more than one rating is applicable, the ratings are compared and the highest selected.

When entitled temporomandibular joint conditions result in permanent impairment of other organ systems, a consequential entitlement decision is required. If awarded, the resulting impairment of that organ system(s) will be rated using the applicable body system specific table(s).

If non-entitled conditions or conditions rated within another chapter/table of the Table of Disabilities are contributing to the overall impairment, then the Partially Contributing Table (PCT) must be applied to arrive at the rating which is due to the entitled condition(s) rated within this table.

### **Other Impairment – Temporomandibular Resting Joint Pain**

[Table 11.3](#) is used to rate impairment from joint pain that is persistent and unrelenting in the temporomandibular joint(s) when at rest. Only one rating may be selected. If more than one rating is applicable, the ratings are compared and

the highest selected. Any applicable rating from this table must be added to the loss of function rating from [Table 11.2](#).

### Loss of Function – Mandible and Maxilla

[Table 11.4](#) is used to rate impairment from entitled conditions of the mandible and/or maxilla. Two ratings may be initially selected from [Table 11.4](#), one rating applicable to the loss of function of the mandible and one rating applicable to the loss of function of the maxilla. The ratings for the two individual areas are compared and the highest selected.

When entitled mandible and/or maxilla conditions result in permanent impairment of other organ systems, a consequential entitlement decision is required. If awarded, the resulting impairment of that organ system(s) will be rated using the applicable body system specific table(s).

If non-entitled conditions or conditions rated within another chapter/table of the Table of Disabilities are contributing to the overall impairment, then the Partially Contributing Table (PCT) must be applied to arrive at the rating which is due to the entitled condition(s) rated within this table.

### Loss of Function – Disfigurement of the Mandible and Maxilla

[Table 11.5](#) is used to rate impairment from disfigurement of the mandible and/or maxilla. Two ratings may be initially selected from [Table 11.5](#), one rating applicable to the disfigurement of the mandible and one rating applicable to the disfigurement of the maxilla. The ratings for the two individual areas are compared and the highest selected.

Any applicable rating from this table must be added to the loss of function rating from [Table 11.4](#).

### Table 11.1 – Loss of Function – Gingiva and Loss of Teeth

A nil assessment will be given from Table 11.1 for all gingiva conditions, bruxism and loss of teeth regardless of whether the teeth can be replaced by prosthetics or not.

Each bullet (•) represents one criterion. In order for a rating to be established for Table 11.1, only one criterion must be met at a level of impairment for that rating to be selected.

Table 11.1 – Loss of Function – Gingiva and Loss of Teeth

Rating	Criteria
Nil	<ul style="list-style-type: none"> <li>• Loss of teeth or dental surfaces which <b>can or cannot</b> be replaced by prosthetics; <b>or</b></li> <li>• Chronic periodontitis; <b>or</b></li> <li>• Trench mouth (Vincent's angina) or chronic gingivitis; <b>or</b></li> <li>• Bruxism.</li> </ul>

### Table 11.2 – Loss of Function – Temporomandibular Joint

Only one rating may be given from Table 11.2 for each entitled condition. If more than one rating is applicable for an entitled condition, the ratings are compared and the highest selected.

Each bullet (•) represents one criterion. In order for a rating to be established for Table 11.2, follow the "ands" and "ors".

Table 11.2 – Loss of Function – Temporomandibular Joint

Rating	Criteria
Nil	<ul style="list-style-type: none"> <li>Occasional clicking in one or both temporomandibular joints with yawning, talking and chewing; <b>and</b></li> <li>Inter-incisal range unrestricted.</li> </ul>
Four	<ul style="list-style-type: none"> <li>Frequent to constant pain and discomfort in one or both temporomandibular joints on jaw opening relieved with analgesia, heat and cold applications or other therapeutic measures; <b>or</b></li> <li>Permanent avoidance of some solid foods such as apples or corn may be necessary due to symptoms.</li> </ul>
Nine	<ul style="list-style-type: none"> <li>Permanent soft diet may be required due to temporomandibular conditions; <b>or</b></li> <li>Inter-incisal range is reduced to 27 mm or less.</li> </ul>
Thirteen	<ul style="list-style-type: none"> <li>Requires permanent purée or liquid diet; <b>or</b></li> <li>Inter-incisal range is reduced to 20 mm or less.</li> </ul>

### Table 11.3 – Other Impairment – Temporomandibular Resting Joint Pain

Only one rating may be given from Table 11.3 regardless of whether the entitled condition involves one or both joints.

Each bullet (•) represents one criterion. In order for a rating to be established for Table 11.3, all criteria designated at that rating level must be met.

Table 11.3 – Other Impairment – Temporomandibular Resting Joint Pain

Rating	Criteria
Nil	<ul style="list-style-type: none"> <li>Pain in the temporomandibular joint(s) that is not present at rest.</li> </ul>
Two	<ul style="list-style-type: none"> <li>Persistent, unrelenting <b>resting</b> pain in the temporomandibular joint(s) that is present during the night, every night but does not prevent sleep.</li> </ul>
Four	<ul style="list-style-type: none"> <li>Persistent, unrelenting <b>resting</b> pain in the temporomandibular joint(s) that is present during the night, every night, and disturbs sleep several times every night, but which improves with and responds to medication or other therapeutic measures.</li> </ul>
Nine	<ul style="list-style-type: none"> <li>Severe, persistent, unrelenting <b>resting</b> pain in the temporomandibular joint(s) that is present during the night, every night, and disturbs sleep several times during the night, does not respond adequately to medication or other therapeutic measures. May have sought advice from, or attended, a pain management</li> </ul>

clinic.

Thirteen

- Severe, persistent, unrelenting **resting** pain in the temporomandibular joint(s) that is present during the night, every night, causes more wakeful periods than rest, and which does not respond adequately to medication or other therapeutic measures. Has attended a pain management clinic and is on extensive pain management regime. Pain, however, remains poorly controlled despite all interventions.

**Table 11.4 – Loss of Function – Mandible and Maxilla**

Two ratings may be initially given from Table 11.4, one rating applicable to the loss of function of the mandible and one rating applicable to the loss of function of the maxilla. The ratings for the two individual areas are compared and the highest selected.

Each bullet (•) represents one criterion. In order for a rating to be established for either the mandible or the maxilla area for Table 11.4, only one criterion must be met at a level of impairment for that rating to be selected.

Table 11.4 – Loss of Function – Mandible and Maxilla

<b>Rating</b>	<b>Criteria</b>
Nil	<b>Maxillaire</b>
	• No difficulty with chewing and inter-incisal range unrestricted.
Four	<b>Mandibule</b>
	• No difficulty with chewing and inter-incisal range unrestricted.
	<b>Maxillaire</b>
	• Frequent to constant pain relieved by analgesics or other therapeutic measures; <b>or</b> • Permanent avoidance of some solid foods such as apples or corn due to symptoms may be necessary.
Nine	<b>Mandibule</b>
	• Frequent to constant pain relieved by analgesics or other therapeutic measures; <b>or</b> • Permanent avoidance of some solid foods such as apples or corn due to symptoms may be necessary.
	<b>Maxillaire</b>
	• Permanent soft diet required; <b>or</b> • Inter-incisal range reduced to 27 mm or less.
Thirteen	<b>Mandibule</b>
	• Permanent soft diet required; <b>or</b> • Inter-incisal range reduced to 27 mm or less.
	<b>Maxillaire</b>
	• Permanent purée or liquid diet; <b>or</b> • Inter-incisal range reduced to 20 mm or less.
	<b>Mandibule</b>

- Permanent purée or liquid diet; **or**
- Inter-incisal range reduced to 20 mm or less.

**Table 11.5 – Loss of Function – Disfigurement of the Mandible and Maxilla**

Two ratings may be initially given from Table 11.5, one rating applicable to the loss of function of the mandible and one rating applicable to disfigurement of the mandible and one rating applicable to disfigurement of the maxilla. The ratings for the two individual areas are compared and the highest selected.

Each bullet (•) represents one criterion. In order for a rating to be established for either the mandible or the maxilla area for Table 11.5, all criteria designated at that rating level must be met.

Table 11.5 – Loss of Function – Disfigurement of the Mandible and Maxilla

<b>Rating</b>	<b>Criteria</b>
Nil	<b>Maxilla</b>
	• No disfigurement.
	<b>Mandible</b>
	• No disfigurement.
Four	<b>Maxilla</b>
	• Mild disfigurement.
	<b>Mandible</b>
	• Mild disfigurement.
Nine	<b>Maxilla</b>
	• Severe disfigurement.
	<b>Mandible</b>
	• Severe disfigurement.

**Steps to Determine the Dental and Oral Impairment Assessment**

- Step 1: Determine the rating from [Table 11.1](#) (Loss of Function – Gingiva Conditions, Bruxism and Loss of Teeth).

The Medical impairment rating for entitled gingiva conditions, bruxism and loss of teeth is always NIL.

This is the Disability Assessment for for gingiva conditions, bruxism and loss of teeth.

- Step 2: Determine the rating from [Table 11.2](#) (Loss of Function – Temporomandibular Joint). Only one rating is applicable from [Table 11.2](#) regardless if the condition is unilateral or bilateral.
- Step 3: Does the Partially Contributing Table apply? If yes, apply to rating at Step 2.
- Step 4: Determine the rating from [Table 11.3](#) (Other Impairment – Temporomandibular Joint – Resting Joint Pain). Only one rating is

applicable from [Table 11.3](#) regardless if the condition is unilateral or bilateral.

- Step 5: Add the ratings at Step 3 and Step 4.
- Step 6: Determine the Quality of Life rating.
- Step 7: Add the ratings at Step 5 and Step 6.
- Step 8: If partial entitlement exists, then apply to the rating at Step 7.

This is the Disability Assessment for temporomandibular joint conditions.

- Step 9: Determine the rating from [Table 11.4](#) (Loss of Function – Mandible and Maxilla). Only one rating is applicable from [Table 11.4](#) regardless if the condition is unilateral or bilateral. If more than one rating is applicable, the ratings are compared and the highest selected.
- Step 10: Determine the rating from [Table 11.5](#) (Loss of Function – Disfigurement of Mandible and Maxilla). Only one rating is applicable from [Table 11.4](#) regardless if the condition is unilateral or bilateral. If more than one rating is applicable, the ratings are compared and the highest selected.
- Step 11: Add the ratings at Step 9 and Step 10 if applicable.
- Step 12: Does the Partially Contributing Table apply? If yes, then apply to rating at Step 11.
- Step 13: Determine the Quality of Life rating.
- Step 14: Add the ratings at Step 12 and Step 13.
- Step 15: If partial entitlement exists, apply to rating at Step 14.

This is the Disability Assessment for mandible and maxilla conditions.

### CWM Medals Online

The CWM has a large Medal Set collection (over 2000 and growing), and this project is an effort to share them and the soldier's story with Canadians.

It has been a collaboration with volunteers and staff and a long time in the making.

Here is the link to the site: <https://www.warmuseum.ca/tilston-medals-collection/>

We started with those that represented First World War casualties, and are growing it from there when we are able.

I hope you can share it with members and I hope they enjoy it.

Thank you, all the best, and good health.

Alain

Alain Simard

Collections Specialist, Archives

Canadian War Museum

Spécialiste des collections, Archives  
Musée canadien de la guerre  
1, place Vimy Place, Ottawa, ON K1A 0M8  
Tel. 819-776-8661 Fax 819-776-8623  
Email: [alain.simard@warmuseum.ca](mailto:alain.simard@warmuseum.ca)

## in the news

**Harjit S. Sajjan: Acknowledging the sacrifice of Canada's only Black battalion**

**How algorithms and primate research can help decide the best size for your squad**

**Plus de 1600 vétérans embauchés dans la fonction publique grâce à Loi sur l'embauche des anciens combattants**

**Army commander vows to issue special order to weed out extremists in the ranks**

**WWII battle scene to be filmed in West Kelowna**

**Une place militaire commémorative inaugurée à Arvida**

**Robot dogs join U.S. Air Force exercise giving glimpse at potential battlefield of the future**

**The 'genius' behind the @CAFinUS Twitter account**